

COMP6771

Advanced C++ Programming

Week 7.2

Custom Iterators

In this lecture

Why?

- When we define our own types, if we want them to be iterable we need to define that functionality ourselves.

What?

- Custom Iterators
- Iterator Invalidation
- Iterator Types

Iterator revision

- Iterator is an abstract notion of a **pointer**
- Iterators are types that abstract container data as a sequence of objects
 - The glue between containers and algorithms
 - Designers of algorithms don't care about details about data structures
 - Designers of data structures don't have to provide extensive access operations

```
1 std::vector v{1, 2, 3, 4, 5};  
2 ++(*v.begin()); // vector<int>'s non-const iterator  
3 *v.begin(); // vector<int>'s const iterator  
4 v.cbegin(); // vector<int>'s const iterator
```

Iterator invalidation

- Iterator is an abstract notion of a **pointer**
- What happens when we modify the container?
 - What happens to iterators?
 - What happens to references to elements?
- Using an invalid iterator is undefined behaviour

```
1 std::vector v{1, 2, 3, 4, 5};  
2 // Copy all 2s  
3 for (auto it = v.begin(); it != v.end(); ++it) {  
4     if (*it == 2) {  
5         v.push_back(2);  
6     }  
7 }  
8 // Erase all 2s  
9 for (auto it = v.begin(); it != v.end(); ++it) {  
10    if (*it == 2) {  
11        v.erase(it);  
12    }  
13 }
```

Iterator invalidation - push_back

- Think about the way a vector is stored
- "If the new `size()` is greater than `capacity()` then all iterators and references (including the past-the-end iterator) are invalidated. Otherwise only the past-the-end iterator is invalidated."

```
1 std::vector v{1, 2, 3, 4, 5};  
2 // Copy all 2s  
3 for (auto it = v.begin(); it != v.end(); ++it) {  
4     if (*it == 2) {  
5         v.push_back(2);  
6     }  
7 }
```

https://en.cppreference.com/w/cpp/container/vector/push_back

Iterator invalidation - erase

- "Invalidates iterators and references at or after the point of the erase, including the `end()` iterator."
- For this reason, `erase` returns a new iterator

```
1 std::vector v{1, 2, 3, 4, 5};  
2 // Erase all even numbers (C++11 and later)  
3 for (auto it = v.begin(); it != v.end(); ) {  
4     if (*it % 2 == 0) {  
5         it = v.erase(it);  
6     } else {  
7         ++it;  
8     }  
9 }
```

<https://en.cppreference.com/w/cpp/container/vector/erase>

Iterator invalidation - general

- Containers generally don't invalidate when you modify values
- But they may invalidate when removing or adding elements
- `std::vector` invalidates everything when adding elements
- `std::unordered_(map/set)` invalidates everything when adding elements

Iterator traits

- Each iterator has certain properties
 - Category (input, output, forward, bidirectional, random-access)
 - Value type (T)
 - Reference Type ($T\&$ or $\text{const } T\&$)
 - Pointer Type (T^* or $T^* \text{ const}$)
 - Not strictly required
 - Difference Type (type used to count how far it is between iterators)
- When writing your own iterator, you need to tell the compiler what each of these are

Iterator requirements

A custom iterator class should look, at minimum, like this

```
1 #include <iterator>
2
3 template <typename T>
4 class Iterator {
5 public:
6     using iterator_category = std::forward_iterator_tag;
7     using value_type = T;
8     using reference = T&;
9     using pointer = T*; // Not strictly required, but nice to have.
10    using difference_type = int;
11
12    reference operator*() const;
13    Iterator& operator++();
14    Iterator operator++(int) {
15        auto copy{*this};
16        ++(*this);
17        return copy;
18    }
19    // This one isn't strictly required, but it's nice to have.
20    pointer operator->() const { return &(operator*()); }
21
22    friend bool operator==(const Iterator& lhs, const Iterator& rhs) { ... };
23    friend bool operator!=(const Iterator& lhs, const Iterator& rhs) { return !(lhs == rhs); }
24 }
```

Container requirements

- All a container needs to do is to allow std::[cr]begin / std::[cr]end
 - This allows use in range-for loops, and std algorithms
- Easiest way is to define begin/end/cbegin/cend methods
- By convention, we also define a type Container::[const_]iterator

```
1 class Container {  
2     // Make the iterator using one of these by convention.  
3     class iterator {...};  
4     using iterator = ...;  
5  
6     // Need to define these.  
7     iterator begin();  
8     iterator end();  
9  
10    // If you want const iterators (hint: you do), define these.  
11    const_iterator begin() const { return cbegin(); }  
12    const_iterator cbegin() const;  
13    const_iterator end() const { return cend(); }  
14    const_iterator cend() const;  
15};
```

Custom bidirectional iterators

- Need to define operator--() on your iterator
 - Need to move from c.end() to the last element
 - c.end() can't just be nullptr
- Need to define the following on your container:

```
1 class Container {  
2     // Make the iterator  
3     class reverse_iterator {...};  
4     // or  
5     using reverse_iterator = ...;  
6  
7     // Need to define these.  
8     reverse_iterator rbegin();  
9     reverse_iterator rend();  
10  
11    // If you want const reverse iterators (hint: you do), define these.  
12    const_reverse_iterator rbegin() const { return crbegin(); }  
13    const_reverse_iterator crbegin();  
14    const_reverse_iterator rend() const { return crend(); }  
15    const_reverse_iterator crend() const;  
16};
```


Automatic reverse iterators

- Reverse iterators can be created by `std::reverse_iterator`
 - Requires a **bidirectional iterator**
- You should be able to just copy-and-paste the following code

```
1 class Container {  
2     // Make the iterator using these.  
3     using reverse_iterator = std::reverse_iterator<iterator>;  
4     using const_reverse_iterator = std::reverse_iterator<const_iterator>;  
5  
6     // Need to define these.  
7     reverse_iterator rbegin() { return reverse_iterator{end()}; }  
8     reverse_iterator rend() { return reverse_iterator{begin()}; }  
9  
10    // If you want const reverse iterators (hint: you do), define these.  
11    const_reverse_iterator rbegin() const { return crbegin(); }  
12    const_reverse_iterator rend() const { return crend(); }  
13    const_reverse_iterator crbegin() const { return const_reverse_iterator{cend()}; }  
14    const_reverse_iterator crend() const { return const_reverse_iterator{cbegin()}; }  
15};
```

Automatic reverse iterators

- Reverse iterators can be created by `std::reverse_iterator`
 - `rbegin()` stores `end()`, so `*rbegin` is actually `*(--end())`



Random access iterators

```
1 class Iterator {
2 ...
3     using reference = T&;
4     using difference_type = int;
5
6     Iterator& operator+=(difference_type rhs) { ... }
7     Iterator& operator-=(difference_type rhs) { return *this += (-rhs); }
8     reference operator[](difference_type index) { return *(*this + index); }
9
10    friend Iterator operator+(const Iterator& lhs, difference_type rhs) {
11        Iterator copy{*this};
12        return copy += rhs;
13    }
14    friend Iterator operator+(difference_type lhs, const Iterator& rhs) { return rhs + lhs; }
15    friend Iterator operator-(const Iterator& lhs, difference_type rhs) { return lhs + (-rhs); }
16    friend difference_type operator-(const Iterator& lhs, const Iterator& rhs) { ... }
17
18    friend bool operator<(Iterator lhs, Iterator rhs) { return rhs - lhs > 0; }
19    friend bool operator>(Iterator lhs, Iterator rhs) { return rhs - lhs < 0; }
20    friend bool operator<=(Iterator lhs, Iterator rhs) { !(lhs > rhs); }
21    friend bool operator>=(Iterator lhs, Iterator rhs) { !(lhs < rhs); }
22 }
```

See legacy requirements for random access iterators

Custom stack<T> Demo

- Live demo

Feedback

